

# List of Possible Circumcisers in Australia and New Zealand

© The Circumcision Foundation of Australia

Circumcision Foundation of Australia (CFA)  
PO Box 1776, Bondi Junction, NSW 2022  
<http://www.circumcisionaustralia.org>

## Introduction

This booklet applies to *male circumcision only*, not other aspects of the medical practice of the doctors or medical practices listed.

The names, addresses, and other information in this booklet are given in good faith and are believed to be correct at the time of printing. They have been gathered together from a variety of sources including personal recommendations, radio, newspaper and magazine advertising. It should be noted that some doctors may have moved or ceased practice since the information was obtained. The CFA recognizes that there are many other doctors who perform circumcisions. The list only includes those the CFA is aware of.

The list includes doctors who do infant circumcisions, as well as circumcision of older children, adolescents and men. Some only circumcise infants, whereas some only circumcise older males, and some do circumcisions for any age. This is stated where known, but circumstances do change and the CFA does not always have full details of the latest practice. Some of the doctors and clinics listed will only circumcise where there is a clear medical need (but in some cases psychological need will be considered). Some, including those mohelim who are not doctors, will only circumcise infants. Phimosis is a common reason for circumcision. Prevention of risk of an adverse condition, infection or cancer in the future is regarded by some as a medically valid reason for circumcision. As a result many now regard circumcision as a 'surgical vaccine'.

Where fees are quoted these are the ones last known to the CFA and may not be complete or up to date. Readers are advised to carefully check what fees will be charged, and what they cover, before making any appointment.

## **Disclaimer**

No recommendation is made by the CFA, nor intended, as to qualifications or competence of practitioners nor the quality of advice provided by other organizations, some of which is inferior. Any reader making use of the services of any of the people or organizations listed, or any other information in this booklet, must satisfy themselves as to the standard of the advice and services which they are offered, and as to how appropriate such advice or services may be to their own needs. No responsibility can be accepted by the CFA for any consequences which may follow from the use to which a reader may put the information herein. Nothing herein is intended as, nor should it be construed as, 'medical advice'. Since circumstances of each patient varies only a direct consultation with a medical practitioner can be used to obtain the medical advice appropriate for the particular needs and quality of care of each individual.

## **Abbreviations and Symbols Used**

*[FJ]* immediately following a practitioner's name indicates that they are Female (where this fact is known for certain). Its absence does not imply that the doctor is male.

*[ISL]* immediately following a practitioner's name indicates that they are Moslem or are versed in providing circumcisions for the Islamic community, not necessarily that they themselves are Moslem.

*[J]* immediately following a practitioner's name indicates that he is known to be a Jewish doctor or mohel.

*[REF]* immediately following a name indicates that the entry refers to an organization, or person, which may not perform or directly arrange circumcisions, but which will refer enquirers to a suitable practitioner.

The year, e.g., *[2002]*, at the end of an entry indicates the date when the information was obtained or last updated.

*[R]* immediately preceding the year indicates a recommendation by one or more patients. It does not necessarily imply recommendation by the CFA

## **The Titles – 'Dr', 'Mr', etc**

The individual circumcision practitioners listed in this booklet are believed to be medically qualified if their name is preceded by the title 'Dr' or 'Mr'. Those for whom neither title is given are not known to be medically qualified (generally these are registered Jewish Mohelim competent only in the circumcision of infants). Readers should be aware however that in some countries there is no legal requirement to be registered in any way in order to perform circumcisions.

In parts of the British Commonwealth and some other places, specialist Consultants, surgeons and many doctors in private practice do not use the title 'Dr' but are known as 'Mr'. This is reflected in the listings where the preferred title is known, otherwise the default title of 'Dr' is used. The use in this listing of the titles 'Dr' and 'Mr' does not therefore imply any greater or lesser knowledge and skill.

**Addresses**

The address given for a practitioner is, where known, that of the place where he or she practices but in some cases may be his home address and not that of the Practice.

**Additions and Corrections**

Readers are asked to advise the CFA of any errors found in this booklet. Additional names and addresses from any part of the world, as well as other information relating to any entry would be very useful in order to improve our listings and provide a better service to readers. Information can be sent by post or e-mail to [brian.morris@sydney.edu.au](mailto:brian.morris@sydney.edu.au)

## AUSTRALIA

### New South Wales

**Absolute Medical Services**, 1 Parsons Road, Lisarow, NSW 2250. Tel: (02) 4328 5200. Web <http://www.abmedical.com.au> Circumcisions of baby boys up to 12 weeks of age using the Plastibell method and local anaesthesia. Cost \$535. [2013]

**Australian Centre for Penile Surgery (Dr Colin Moore)**, Mailbox 321, 4 Young Street, Neutral Bay, Sydney, NSW 2089 (Please send stamped addressed envelope for details). Mobile (Lyn): 0414-251 234 (9 am to 5 pm Mon–Fri). Web: <http://www.austcps.com> Surgery for all ages (from 6 months upwards) in private hospitals. General anaesthetic used. Re-circumcision also available. [2013]

**Australian Centre for Penile Surgery (Bondi Junction)**, 2nd Floor, 99 Spring St, Bondi Junction, NSW 2022. Tel: (02) 9386 0536

**Dr Bantatau**, 9/25-29 Hunter Street, Hornsby, NSW 2077. Age over 10 years. Cost \$450 for children; more than \$450 for men. Tel: (02) 9476 2320. [2013]

**Dr Peter Bell**, 142 Tuckwell Road, Castle Hill, Sydney, NSW. Tel: (02) 9894 0040 and (02) 9894 0474. Plastibell circumcision of infants up to 3 weeks of age under local anaesthetic. Cost \$400. [2013]

**Dr Norman J. Blumenthal**, 3 Kempsey Street, Blacktown NSW 2148. Tel: (02) 9621 5399. Web: <http://www.blumenthalclinic.com.au> E-mail: [blum@bigpond.net.au](mailto:blum@bigpond.net.au). Also at 185 Fox Valley Road, Wahroonga, NSW 2076. Tel: (02) 9989 8299. All appointments via Blacktown. Circumcision for infants up to 4 weeks of age using the Plastibell method and local anaesthesia. Cost \$400. [2013]

**Dr Gordon Campbell**, Suite 304, SAN Clinic, 185 Fox Valley Rd, Wahroonga, NSW 2076. Tel: (02) 9473 8747. Circumcision for infants up to 6 weeks of age using the Plastibell method and local anaesthetic. Cost \$400. [2006]

**Prof Daniel Cass & Prof Andrew Holland**, although located at The Children's Hospital at Westmead, like other public hospitals circumcisions done are only those for medical need. Postal address: Locked Bag 4001, Westmead 2145. Tel: (02) 9845 3059 and (02) 9845 0575. E-mail: [dannyc@nch.edu.au](mailto:dannyc@nch.edu.au) Hospital E-mail: [info@chw.edu.au](mailto:info@chw.edu.au) Day surgery under general anaesthetic for infants and boys for medical need only. [2010]

**Dr Anthony Dilley**, MB BS FRACS. 352 President Avenue, Gymea, NSW 2227. Tel: (02) 9540 4409. Dr Dilley is a specialist urological surgeon. Circumcision of infants using a local anaesthetic, and children using a general anaesthetic. Cost \$800. [2013]

**Dr Roger Fabian**, 2 Nardoo Street, Ingleburn, NSW 2565. Tel: (02) 9540 4409 E-mail: roger.fabian@optusnet.com.au [2010]

**Dr Tamer Kahil [ISL]**, 1/73 Waterloo Road, Greenacre, Sydney, NSW 2190. Tel: (02) 9758 6333. Circumcision for all ages under local anaesthetic. {2009}

**Dr Phillip Katelaris**, 51 Palmerston Rd, Hornsby, Sydney, NSW 2077. Tel: (02) 9477 7904. E-mail: urology@katelarisinc.com Circumcision for males over 10 years of age for medical need only. Sleeve resection method under local or general anaesthetic. Cost: \$1867 for child or adult {2013}

**Dr Tom Kirsh**. 73 Lieberts Lane, Brunkerville NSW 2565. Has been performing neonatal circumcisions in Newcastle for 35 years. Plastibell method under local anaesthetic. Age up to 6 weeks. Tel: (02) 4938 0264 Mob: 0419-432-640. [2013]

**Dr Robert Lewin**, 1 John Street, Erskville, NSW. Open 9 am to 1 pm. Tel: (02) 9519 4240. [2013]

**Prof Andrew Li**, MB BS FRAGP. Drummoyne Surgery & Skin Cancer Clinic, Suite 11, Level 1, 50 Victoria Road, Drummoyne, NSW 2047. Tel: (02) 9719 1600. Circumcision for adults and boys over 10 years of age under local anaesthesia by penile nerve block; under special circumstances boys aged 5–10 may be done as well. Cost: \$2000. E-mail: admin@drummoynesurgery.com.au Web: <http://www.drummoynesurgery.com.au> [2013]

**L'image Cosmetic Surgery (Dr. Ranjit Thind)**, Sydney Centre of Aesthetic Surgery, Suite 6, 2 Hunter Street, Parramatta, Sydney, NSW. Tel: (02) 96356222. Also at Unit 14 (within Erina Plaza Medical Centre), 210 The Entrance Road, Erina, NSW 2250. E-mail: [contact@sydneyaesthetics.com.au](mailto:contact@sydneyaesthetics.com.au) Web: <http://www.sydneyaesthetics.com.au> Choice of end results from partial to radical removal of foreskin. Local anaesthetic and sedative used. Free, no obligation, consultations held on Thursdays. Children and adults. Out of town & overseas patients welcome – airport pickup and accommodation can be arranged. [2013]

**Dr William Lynch**, Urology Sydney, St George's Private Hospital Level 1, 1 South Street, Kogarah, NSW 2217. Tel: (02) 9587 4888. Consultations alone also at Suite 7, 26–28 Gibbs Street, Miranda, NSW 2228. [2013]

**Dr Colin Moore**. *See Australian Centre for Penile Surgery.*

**Dr Dinesh Patel**, Suite 18, 532-536 Canterbury Road, Campsie, Sydney, NSW 2194. Tel: (02) 9787 6111 and (02) 97180177. E-mail: [urologist@iprimus.com.au](mailto:urologist@iprimus.com.au) Circumcision by sleeve resection for males 16 and over, normally under general anaesthetic but local by request. Cost: \$850. [2013]

**Dr David Robinson**, #301 Harley Place, 251 Oxford Street (Cnr Hollywood Ave), Bondi Junction, NSW 2022. Tel: (02) 9387 8687. Dr Robinson is an ophthalmic surgeon who also does infant circumcisions. [2006]

**Dr Milton Sales**, MB BS DipRACOG FRACGP. Bruncker Road General Practice, 324 Bruncker Road, Adamstown, NSW 2289. Tel: (02) 4952 3700. Web: <http://www.circumcisions.com.au> Circumcision by Plastibell under local anaesthetic at Newcastle Private Hospital for babies between 3 and 7 weeks of age. Web: <http://www.circumcisions.com.au/> [2013]

**Dr John R. Schulze**, 350 Mann Street, Gosford, NSW 2250; and Absolute Medical Services, 1 Parsons Rd, Lisaro NSW 2250. Tel: (02) 4324 5100. [2013]

**Dr Adrian Sheen**, MB BS (Lond), Dip Obst RACOG, FRACGP. Mulgoa Medical Centre, Cnr Fairlight & Mulgo Rods, Mulgoa NSW 2745. Tel: 02 4773 8525. Mobile number: 0432 123 082 NSW (Western Sydney, south of Penrith). It is preferred that the operation is done before 4 weeks of age. [2013]

**Dr Philip D. Stricker**, Department of Urology, Suite 905, St Vincent's Clinic, 438 Victoria Street, Darlinghurst 2010. Tel: (02) 8382 6971. Fax: (02) 83826972. Low or Medium freehand circumcision (sleeve resection) under general anaesthetic in day surgery theatre of private hospital. Cost approx \$1900 including hospital fee. [2006]

**Dr Torravilles**, 154 Blacktown Road, Blacktown, NSW 2148. Tel: (02) 9622 2637. Adult circumcision. [2008]

**Dr Ken Vaux, MB BS FRCS FRACS**. Suite 603, 20 Bungan St, Mona Vale NSW 2103. and SAN Clinic, Suite 505, 185 Fox Valley Rd, Wahroonga NSW 2076; also Royal North Shore Private Hospital. Once a month Dr Vaux does consultations at Dr Chris McMahon's rooms, **Australian Centre for Sexual Health**, Suite 2-4, Level 1, 1A Berry Rd, St Leonards NSW 2065. Dr Vaux a specialist urologist. Will do circumcisions of boys older than 4 years and men using general anaesthesia. While he does the procedure for medical reasons, including minor ones such as infections, etc, he will consider elective circumcisions as well. A referral from a GP is required. Cost: \$500. This does not include the charge by the anaesthetist, which varies depending on which one is used. Tel: 02-9979-5122 [2013]

**Dr Henry Woo**, Suite 3, 2 Redleaf Avenue, Wahroonga, NSW 2076 and Westmead Private Hospital, Suite 5, Corner Mons & Darcy Roads, Westmead, NSW 2145. Tel: (02) 9635 8765. [2004]

**Dr Frederick Ross Wilson**, George Street Medical Practice, 115 George Street, Bathurst, NSW 2795. Tel: (02) 6332 5355. Circumcision for infants only. [2009]

**Dr Carlo Yuen**, MB BS FRACS(Urology), Head of Urology, St Vincents Hospital. St Vincent's Clinic, Suite 905, Level 9, 438 Victoria Street, Darlinghurst NSW 2010. Only does circumcisions for medical indications, including phimosis, paraphimosis, BXO and recurrent balanitis. All ages. Cost varies according to the clinical reason for the circumcision, as well as whether it is done in the public hospital system or private hospital. Tel: (02) 8382-6960. [2013]

## **Queensland**

**Australian Centre for Penile Surgery**. See main entry under Sydney, New South Wales. Surgery at Riverview Private Hospital in Brisbane. [2006] **Clinical Beauty (Penile Surgicentre)**, 34 Cougal Street, Southport, Qld. Tel: (07) 5532 5316. Penile enlargement and circumcisions. General anaesthetic used. Cost approx \$2000. [1998]

**Gold Coast Circumcision**, 2<sup>nd</sup> floor, 95 Nerang Street, Southport, Qld 4215 (opposite the Gold Coast Hospital). Tel: (07) 5531-1170 (appointments). Tel: 1300 4 A CIRC. Adult.

**Dr Lawrence Kelley**, Russell Street, Toowoomba, Queensland 4350. Tel: (07) 4632 9188. Circumcision under general anaesthetic by a family GP for adults, children and infants. [1997]

**Dr Philip Lockie**, Brisbane Private Hospital, 259 Wickham Terrace, Brisbane, Queensland 4000. Tel: (07) 3834 7080. [2011]

**Dr McClintock**, 136 Queen Street, Southport, Queensland. Tel: (07) 5531 2255. [2006]

**Prof Gamal Mousa**, Cairns Private Hospital, Cairns, Queensland. [2010]

**Queensland Circumcision Service**, 2898–2900 Logan Road, Underwood Qld 4119. Tel: (07) 3341 7033. Adult and teen, local anaesthesia, day surgery walk in walk out.

<http://www.circumcisionsqld.com.au/surgery.php>

**Dr Michael Read**, Gold Coast Circumcisions, 2nd Floor, 95 Nerang Street, Southport, Qld 4215. (opposite the Gold Coast Hospital). Tel: (07) 5531 1170. (appointments) or 1300 4 A CIRC Web: <http://www.gccircumcisions.com.au/> Adult circumcision (no referral required). Infants and boys, using the Plastibell technique. [2013]

<http://www.gccircumcisions.com.au> E-mail: [enquiries@gctraveldoctor.com.au](mailto:enquiries@gctraveldoctor.com.au) Circumcision for all age groups under local anaesthetic. Plastibell used on infants. [2009]

**Dr Terry Russell & Dr Peter Loth**, Circumcision Information and Research Centre, 620 Kessels Road, Macgregor, Brisbane, Queensland 4109. Tel: (07) 33496444. Web: <http://www.russellmedical.com.au> Infants and pre-puberty boys only using the Plastibell under local anaesthetic. [R] [2013]

**South Queensland Urology**, Greenslopes Private Hospital, Newdegate Street, Greenslopes, Queensland 4120. Tel: (07) 3847 7999. [2005]

**Dr Snip**. Suite 7, 'The Edge' East, 10 Lake Kawana Blvd, Bokarina, Qld 4575. Tel: (07) 3102-7460 (Brisbane) or (07) 5313-7992 (Sunshine Coast) or 1300 DR SNIP (1300-377-647) <http://www.drsnip.com.au/neonatalcircumcision/?gclid=CMO22uWK6bUCFZBZpgodUwkAgw> Uses the Gomco 'Little Trimmer' Clamp regarded by Dr Demediuk as the safest technique. [2013]

**Dr E. J. Tarr**, 22 Bronzewing Avenue, Buderim, Qld 4556 and at 14 Bowman Road, Caloundra, Qld 4551. Tel: (07) 5444 0369. Fax: (07) 5444 0121. E-mail: [drejtarr@inet.net.au](mailto:drejtarr@inet.net.au) Web: <http://www.qldcircumcision.com.au> Ages 0-3 months only with Plastibell. A\$380. [2010]

**L'image Cosmetic Surgery (Dr. Ranjit Thind)**, Consultations in Brisbane at Level 1, 222 Lutwyche Road, Windsor, Queensland. Tel: (07) 3857 6188 Also on Gold Coast: Tel: (07) 5570 6800. See main entry under New South Wales for more details. [2009]

**Dr Roger Waterford**, Cairns Base Hospital, Cairns, Queensland. [2010]

## South Australia

**Dr S. Paul Cowie**, Redgum Skin Cancer Clinic, 174 Hancock Road, Ridgehaven, Adelaide, South Australia 5097. Tel: (08) 8396 3398. E-mail: [spcowie@hotmail.com](mailto:spcowie@hotmail.com) Web: <http://www.circsa.com> Circumcision under local anaesthetic available for all ages. Boys up to 12 years old circumcised by Plastibell, older patients freehand. Cost: A\$350 under 6 months, A\$450 under 12 years, A\$550 for adults. [2009]

**Dr Zenon Herzberg**, North Adelaide Medical Centre, 183 Tynte Street, North Adelaide, South Australia 5006. Tel: (08) 8267 5355. [2006]

**Mr Anthony L. Sparnon**, FRACS, 58 Ward Street, North Adelaide, South Australia 5006. (08) 8267 3186 [2006]

**Dr Van Vu**, Medical Centre, 297 Waymouth Street, Adelaide, South Australia 5000. Tel: (08) 8212 5575. [2009]

## Tasmania

**Dr Ian S. Middleton**, 10 Joynton, Lenah Valley, Hobart, Tas 7008. Tel: (03) 6278 1944. Adult circumcision under general anaesthetic \$1,000. [1999]

**Dr Amanda B. Young** [F], 1 Dowling Street, Launceston. Tel: (03) 6331 6662. Babies over 6 months under general anaesthetic for medical or religious reasons only. [2011]

## **Victoria**

**Dr Manish Agaskar**, Circumwise Pty Ltd, 357 Springvale Rd, Vermont South, Vic 3133. Tel: (03) 9886 3336. Fax: (03) 9877 3766. E-mail: [circumwise@circumwise.com](mailto:circumwise@circumwise.com) Web: <http://www.circumwise.com.au> Plastibell circumcision under local anaesthetic for boys up to about 12 years of age. [2012]

**Dr Laurence Cleeve**, Suite 2, Ground Floor, 141 Grey Street, East Melbourne, Vic 3002 and at Northpark Private Hospital, Greenhills Road, Bundoora, Vic 3083. Cost \$400–\$500 plus Consultation AU\$120. [2006]

**Cotham Private Hospital**, 209 Cotham Road, Kew, Victoria 3101. Tel: (03) 8803 0500. Web: <http://www.healthscopehospitals.com.au> [2008]

**Mr Das**, Portland Hospital, Bentinck St, Vic 3305. Tel: (03) 5521 0333 Plastibell circumcision for infants. [2003]

**Freemasons Hospital**, 166 Clarendon Street, East Melbourne, Vic 3002. Tel: (03) 9483 3833 Web: [www.freemasonshospital.com.au](http://www.freemasonshospital.com.au) [2008]

**Dr Hershel Goldman, Melbourne Circumcision Centre**, 127 Chandler Road, Noble Park, Vic 3174 and at 25 Enterprise Road, Hampton Park, Melbourne and (on Wed mornings only) 124-126 Camperwell Rd, Hawthorn East (03-9834-7600), Vic. Tel: (03) 9791 1122 and Mobile: 0416 166435. E-mail: [info@circumcisioncentre.com.au](mailto:info@circumcisioncentre.com.au) Web: <http://www.circumcisioncentre.com.au> Circumcision for infants aged between 5 days and 6 months using the Mogen Clamp for approx.. \$280. No referral needed. [2009]

**Dr Devan V. Gya**, 179 Northern Road, Heidelberg Heights, Melbourne, Vic 3081. Tel: (03) 9458 2725. Forceps Guided circumcision under general anaesthetic. \$700. [1999]

**Dr Mateen Jabbar**, Coburg Family Medical Centre, Corner of Bell St. and Sydney Rd., Coburg, Melbourne, Vic 3058. Tel: (03) 93544042 and at Dadenong Circumcision Centre, 82 Studs Road, Dandenong, Vic 3175. (Fridays only. Tel: (03) 9794 5055). E-mail: [jabbar@coburgfmc.com.au](mailto:jabbar@coburgfmc.com.au) Web: <http://www.circumclean.com.au> Circumcision for all ages by Plastibell or Gomco clamp. Infants under local anaesthetic with EMLA cream; older children and adults under local or general anaesthetic. Costs vary by age and method. (Adult typically \$1,200). [2010]

**Mercy Private Hospital**, 298–310 Princes Hwy, Werribee, Vic 3030. Tel: (03) 9216 8888. Web: <http://www.mercy.com.au> [2008]

**Northpark Private Hospital**, Corner Plenty and Greenhills Roads, Bundoora, Vic 3083. Tel: (03) 9467 6022. Web: <http://www.healthscopehospitals.com.au> [2008]

**Dr Robert Reed**, Australian Aesthetic Surgery Centre, Ground Floor, 174 Victoria Parade, East Melbourne, Vic 3002. Tel: (03) 9654 6288. Web: <http://www.aasc.com.au> Adult circumcision under general anaesthetic, cost approx \$3,700. [2008]

**Dr Snip**. Parkmore Medical Centre Pty Ltd, 323 Cheltenham Road, Keysborough, Vic 3173. Tel: (03) 9013-8532. 1300-377-647. Email: [enquiries@drsnip.com.au](mailto:enquiries@drsnip.com.au)

**Dr David Webb**, Suite 103, Freemason Medical Centre, 320 Victoria Parade, East Melbourne, Vic 3002. Tel: (03) 8415 1500. [2007]

## **Western Australia**

**Dr Sue Chapman** [F], Southwest Health Campus, 61 Victoria Street, Bunbury, WA 6230. Tel: (08) 9781 2350. Cost approx.. \$1,000. [2004]

**Dr Hany M. Ishak**, Stirling Central Medical Group, Corner Wanneroo & Victoria Roads, Westminster, Perth, WA 6061. Tel: (08 9440 5300. Web: <http://www.circumcisionwa.com.au> Circumcision for infants only. [2011]

**Dr Leon Levitt**, Perth Circumcision Clinic, Grantham House Medical Centre, 89 Essex St, Wembley, Perth, WA 6014. E-mail: [leon@granthamhouse.com](mailto:leon@granthamhouse.com) Over 25 years experience in circumcision of boys under 6 weeks of age. He has performed over 6000 circumcisions. Uses the Forceps Guided method. No anaesthetic normally used, but EMLA cream available. Cost \$350. [2011]

**Mr Justin Vivian & Colleagues**, Western Urology, 26 McCourt Street, West Leederville, Perth, WA 6007. Tel: (08) 9381 3822 & 9382 4999. E-mail: [reception3@westernurology.com](mailto:reception3@westernurology.com) Web: <http://www.westernurology.com> Adult circumcisions and re-circumcisions under general anaesthetic. [2011]

**Dr Waters**, St John of God Hospital, Murdoch, Western Australia. Circumcision under general anaesthetic. [2003]

**Auckland, NEW ZEALAND Circumcision at 89**, 89 Greenlane East, Remuera, Auckland.  
Tel: (09) 520 6306. [2008]

**Circumcision @ Westgate**, Westgate Medical Centre, Massey, Auckland. Tel: (09) 833 3134.  
[2008]

**The Doctors (New Lynn) Ltd**, 19 Delta Avenue, New Lynn, Auckland. Tel: (09) 827 7810, Fax:  
(09) 827 3510. E-mail: renee@nl.thedoctors.co.nz [2005]

**Dr Dirk Drent**, Level 3, Ascot Hospital, 90 Green Lane Road East, Remuera, Auckland. Tel: (09)  
520 9577 and (09) 919 2615. Mobile: (025) 314 367. E-mail: dirk@uro.co.nz. Web:  
<http://www.uro.co.nz>. Also in Hamilton. Consultation NZ\$120, Circumcision for children and adults  
under local anaesthetic NZ\$550 [2004]

**ETHC Healthcare Ltd**, 160 Bairds Road, Otara, Auckland. Tel: (09) 274 3414, Fax: (09) 274  
0674. Web: [http://www.etch.co.nz/Bairds\\_Road.htm](http://www.etch.co.nz/Bairds_Road.htm)

[2005]

**Mr R. Stuart Ferguson**, 15 Gilgit Road, Epsom, Auckland. Tel: (09) 623 7506. Rooms also  
at "Shorecare", 209 Shakespeare Road, Takapuna, Auckland. Tel: (09) 623 7506. General  
and Paediatric Surgeon. Adult circumcision in private hospital under general anaesthetic  
costs approx NZ\$1210. [2000]

**Dr Sitaleki 'Ata'ata Finau**, Senior Lecturer Pacific Health, Department of Maori and Pacific  
Health, University of Auckland Medical School, Private Bag92019, Auckland. Tel: (09) 373 7599  
Ext 4627. Fax: (09) 373 7074. Email: s.finau@auckland.ac.nz [2001]

**Langimalie Health Centre**, 29 Hill Street, Onehunga, Auckland. Tel: (09) 6363629. Fax: (09) 636  
3229. and at 23 Mayfair Place, Glen Innes, Auckland. Tel: (09) 521 3629. Fax: (09) 521 3626.  
Web: <http://www.langimalie.com.au>Mainly dorsal slit only, but full circumcision can be done for  
adults and children. Local anaesthetic. Cost: NZ\$200–NZ\$500. [2010]

**Dr Michael Mackey**, PO Box 101–121 North Shore Mail, Auckland. Tel: (09) 444 4301, Fax: 09  
444 4325. [2005]

**Manukau Health Trust Ltd.**, 901 Great South Road, Manukau, Auckland. Tel: (09) 227 1648.  
Circumcision under local anaesthetic. [2006]

**Pasifica Integrated Family Medical Centre**, 1 Nile Road, Milford, Auckland. Tel: (09) 410 0251.  
[2008]

**Dr Craig Phillips**, St John's Hospital, Auckland. Circumcision under local anaesthetic. Tel: 09  
625 6054 [2003]

**Dr John Russell**, Hillsborough Medical Centre, 165 Hillsborough Road, Auckland. Tel: (09)  
625 7010. Circumcision by Plastibell. [2006]

**Dr Ayad Razoki**, Westgate Medical Centre, Fernhill Drive, Massey, Auckland.

Tel: (09) 833 3134. Fax: (09) 833 3135. E-mail: westgate@thedoctors.co.nz

[2005]

**Dr John Thomson**, 257 A Remuera Road, Remuera, Auckland. Tel: (09) 520 2960. Fax: (09) 520 2970. E-mail: jthomson@world-net.co.nz Web: <http://www.circumcision.co.nz> Circumcision of infants from birth to 6 months old by Plastibell under local anaesthetic. Cost NZ\$160–200. [2006]

**The Vasectomy Clinic**. Tel: (09) 579 6953. [2006]

**Dr Gerald Young and Dr Todd Pritchard**, City Med, Ground Floor, QuayWest Bldg., 8 Albert Street, Auckland CBD. Tel: (09) 377 5525. Web: <http://www.citymed.co.nz> All ages from infant to adult, circumcised freehand under local anaesthetic (general available on request). Cost NZ\$400–NZ\$450. [R] [2009]

## **Christchurch, NEW ZEALAND**

**Prof Spencer Beasley**, Christchurch School of Medicine. [2005]

**Dr Colin Conahan**, St Georges Medical Centre, 249 Papanui Road, Merivale, Christchurch. Tel: 03 375 4060. Circumcision using the Plastibell. NZ\$250

[2006]

**Dr Peter J.T. Davidson**, Urology Associates, Hiatt Chambers, St Georges Medical Centre, 249 Papanui Road, Merivale, Christchurch. Tel: 03 355 5129, Home Tel: (03) 388 8557, Fax: (03) 355 6368. [2005]

**Men's Medical**. Tel: (03) 981 8181. [2006]

## **Dunedin, NEW ZEALAND**

**Dr Paul C. Bennett**, Broadway Medical Centre, 2 Broadway, Dunedin 9001. Tel: (03) 477 4335. Fax: (03) 477 4337. E-mail: paul@drpaul.co.nz. Web: <http://www.drpaul.co.nz>. Infants only using the Gomco Clamp under local anaesthetic. Cost NZ\$125. [2005]

### **Hamilton**

**Dr Dirk Drent**, Medlab House, Knox Street, Hamilton. (Mail to PO Box 52, Hamilton) Tel: (07) 834 0717. See also main entry under Auckland. [2001]

**Palmerston North The Doctors**, 27 Linton Street. Palmerston North. Tel: (06) 354 7737, Fax:

(06) 354 7757. E-mail: info@pn.thedoctors.co.nz Infant circumcision by Plastibell. Cost NZ\$180. [2005]

**Tauranga, NEW ZEALAND**

**ProMed Urology Ltd**, Suite 6, Promed House, 71 Tenth Ave, Tauranga 3110. Postal address: PO Box 56, Tauranga. Tel: (07) 578 2561, Fax: (07) 578 4717. Web: <http://www.promed.co.nz>  
Adult and child circumcision under general anaesthetic. [2005]

**Wellington**

**Mr R. Robinson**, Adult & Pediatric Urologist, Southern Cross Hospital, 90 Hanson Street, Newtown, Wellington. Tel: (04) 389 0001. Fax: (04) 389 5230. E-mail: [welwms@sxhealth.co.nz](mailto:welwms@sxhealth.co.nz)  
Babies & Adults. Babies NZ\$100.

[2005]

**Dr G.F. Sang**, 159 The Parade, Island Bay, Wellington. Tel: (04) 3837647. Approx Cost: Babies NZ\$200. [2009]

**Dr Young**, Naenae Medical Centre, Wellington. Tel: (04) 567 1066. Approx Cost: Babies NZ\$165. [2009]